

CLAIMS

WHAT IS CLAIMED IS:

1. An image processing device for smoothing image data that is formed by a plurality of pixels and includes at least one color component, comprising:

5 smoothing means for selectively performing, for at least one color component of a target pixel, smoothing that uses pieces of color information of at least one color component of the target pixel and of pixels adjacent to the target pixel among a plurality of pixels that form the image data, the smoothing done in accordance with correlation between the target pixel and pixels in the vicinity of the target pixel.

10 2. An image processing device for smoothing image data that is formed by a plurality of pixels and includes at least one color component, comprising:

similarity degree calculating means for calculating similarity degrees indicating similarity between a target pixel and pixels in the vicinity of the target pixel among a plurality of pixels that form the image data;

15 classifying means for classifying pixels whose similarity degrees have been calculated by the similarity degree calculating means into one of a plurality of groups having different similarity degree features; and

smoothing means for selecting a pixel to be subjected to smoothing from among a pixel that has been classified into a particular group in the plurality of groups and pixels
20 in the vicinity of the pixel that has been classified into the particular group, and for performing smoothing on color information of at least one color component of the selected pixel by using pieces of color information of at least one color component of the selected pixel and of pixels adjacent to the selected pixel.

3. The image processing device according to claim 2, wherein said smoothing
25 means smoothes color information of a color component of a pixel adjacent to a pixel that

has been classified into the particular group by the classifying means, and restores into its original state color information of a color component of a smoothed pixel among pixels adjacent to a pixel that has not been classified into the particular group by the classifying means.

4. The image processing device according to claim 3, wherein said smoothing means:

sequentially selects pixels that became subjects of classification by the classifying means;

smoothes color information of a color component of a pixel that is adjacent to not only a pixel selected at an arbitrary time point but also to a pixel that is not selected at the arbitrary time point when the selected pixel is classified into the particular group; and

restores into its original state color information of a color component of a smoothed pixel among pixels adjacent to the pixel selected at the arbitrary time point when the selected pixel is not classified into the particular group.

5. The image processing device according to claim 2, wherein said smoothing means smoothes color information of a color component of a pixel that is adjacent to a plurality of pixels that have been classified into the particular group by the classifying means.

6. The image processing device according to claim 2, wherein said smoothing means uses, as said particular group, a group having a feature that similarity degrees calculated in at least two different directions by the similarity degree calculating means are approximately the same.

7. The image processing device according to claim 6, wherein said smoothing means judges that similarity degrees in at least two different directions are approximately the same when a difference between similarity degrees calculated in the at least two

different directions by the similarity degree calculating means is smaller than a prescribed threshold value.

8. An image processing device for smoothing image data that is formed by a plurality of pixels and includes at least one color component, comprising:

interpolating means for interpolating pieces of color information of a color component that is absent from pixels that are arranged at a prescribed pitch among pixels that form the image data;

similarity degree calculating means for calculating similarity degrees in at least two different directions for each pixel to be a subject of interpolation by the interpolating means;

classifying means for classifying each of pixels whose similarity degrees have been calculated by the similarity degree calculating means into one of a plurality of groups having different similarity degree features; and

smoothing means for selecting a pixel to be subjected to smoothing from among a pixel that has been classified into a particular group in the plurality of groups and pixels in the vicinity of the pixel that has been classified into the particular group, and for performing smoothing on color information of a color component of the selected pixel by using pieces of color information of color components of the selected pixel and of pixels adjacent to the selected pixel.

9. The image processing device according to claim 8, wherein: said smoothing means performs the smoothing parallel with the interpolation by the interpolating means.

10. The image processing device according to claim 8, wherein:

said interpolating means employs, as subjects of the interpolation, pixels that miss a color component having a highest spatial arrangement density; and

said smoothing means smoothes color information of the color component

having the highest spatial arrangement density of a pixel adjacent to a pixel that has been classified into the particular group.

11. The image processing device according to claim 8, wherein said smoothing means smoothes color information of a color component of a pixel adjacent to a pixel that has been classified into the particular group by the classifying means, and restores into its original state color information of a color component of a smoothed pixel among pixels adjacent to a pixel that has not been classified into the particular group by the classifying means.

12. The image processing device according to claim 11, wherein said smoothing means:

sequentially selects pixels that became subjects of classification by the classifying means;

smoothes color information of a color component of a pixel that is adjacent to not only a pixel selected at an arbitrary time point but also to a pixel that is not selected at the arbitrary time point when the selected pixel is classified into the particular group; and

restores into its original state color information of a color component of a smoothed pixel among pixels adjacent to the pixel selected at the arbitrary time point when the selected pixel is not classified into the particular group.

13. The image processing device according to claim 8, wherein said smoothing means smoothes color information of a color component of a pixel that is adjacent to a plurality of pixels that have been classified into the particular group by the classifying means.

14. The image processing device according to claim 8, wherein said smoothing means uses, as said particular group, a group having a feature that similarity degrees calculated in at least two different directions by the similarity degree calculating means

are approximately the same.

15. The image processing device according to claim 14, wherein said smoothing means judges that similarity degrees in at least two different directions are approximately the same when a difference between similarity degrees calculated in the at least two
5 different directions by the similarity degree calculating means is smaller than a prescribed threshold value.

16. A storage medium in which an image processing program is stored that causes a computer to smooth image data that is formed by a plurality of pixels and includes at least one color component, the image processing program causing the computer to execute:

10 a smoothing step of selectively performing, for at least one color component of a target pixel, smoothing that uses pieces of color information of at least one color component of the target pixel and of pixels adjacent to the target pixel among a plurality of pixels that form the image data, the smoothing done in accordance with correlation between the target pixel and pixels in the vicinity of the target pixel.

15 17. A storage medium in which an image processing program is stored that causes a computer to smooth image data that is formed by a plurality of pixels and includes at least one color component, the image processing program causing the computer to execute:

a similarity degree calculating step of calculating similarity degrees indicating similarity between a target pixel and pixels in the vicinity of the target pixel among a
20 plurality of pixels that form the image data;

a classifying step of classifying pixels whose similarity degrees have been calculated by the similarity degree calculating step into one of a plurality of groups having different similarity degree features; and

a smoothing step of selecting a pixel to be subjected to smoothing from among a
25 pixel that has been classified into a particular group in the plurality of groups and pixels

in the vicinity of the pixel that has been classified into the particular group, and for performing smoothing on color information of at least one color component of the selected pixel by using pieces of color information of at least one color component of the selected pixel and of pixels adjacent to the selected pixel.

18. The storage medium storing the image processing program according to claim 17, wherein said smoothing step smoothes color information of a color component of a pixel adjacent to a pixel that has been classified into the particular group by the classifying step, and restores into its original state color information of a color component of a smoothed pixel among pixels adjacent to a pixel that has not been classified into the particular group by the classifying step.

19. The storage medium storing the image processing program according to claim 18, wherein said smoothing step:

sequentially selects pixels that became subjects of classification by the classifying step;

smoothes color information of a color component of a pixel that is adjacent to not only a pixel selected at an arbitrary time point but also to a pixel that is not selected at the arbitrary time point when the selected pixel is classified into the particular group; and

restores into its original state color information of a color component of a smoothed pixel among pixels adjacent to the pixel selected at the arbitrary time point when the selected pixel is not classified into the particular group.

20. The storage medium storing the image processing program according to claim 17, wherein said smoothing step smoothes color information of a color component of a pixel that is adjacent to a plurality of pixels that have been classified into the particular group by the classifying step.

21. The storage medium storing the image processing program according to claim 17,

wherein said smoothing step uses, as said particular group, a group having a feature that similarity degrees calculated in at least two different directions by the similarity degree calculating step are approximately the same.

22. The storage medium storing the image processing program according to claim 21,
5 wherein said smoothing step judges that similarity degrees in at least two different directions are approximately the same when a difference between similarity degrees calculated in the at least two different directions by the similarity degree calculating step is smaller than a prescribed threshold value.

23. A storage medium in which an image processing program is stored that causes a
10 computer to smooth image data that is formed by a plurality of pixels and includes at least one color component, the image processing program causing the computer to execute:

interpolating step for interpolating pieces of color information of a color
component that is absent from pixels that are arranged at a prescribed pitch among pixels
that form the image data;

5 similarity degree calculating step for calculating similarity degrees in at least two different directions for each pixel to be a subject of interpolation by the interpolating step;

classifying step for classifying each of pixels whose similarity degrees have been
calculated by the similarity degree calculating step into one of a plurality of groups having
20 different similarity degree features; and

smoothing step for selecting a pixel to be subjected to smoothing from among a
pixel that has been classified into a particular group in the plurality of groups and pixels
in the vicinity of the pixel that has been classified into the particular group, and for
performing smoothing on color information of a color component of the selected pixel by
25 using pieces of color information of color components of the selected pixel and of pixels

adjacent to the selected pixel.

24. The storage medium storing the image processing program according to claim 23, wherein said smoothing step performs the smoothing parallel with the interpolation by the interpolating step.

25. The storage medium storing the image processing program according to claim 23, wherein:

said interpolating step employs, as subjects of the interpolation, pixels that miss a color component having a highest spatial arrangement density; and

said smoothing step smoothes color information of the color component having the highest spatial arrangement density of a pixel adjacent to a pixel that has been classified into the particular group.

26. The storage medium storing the image processing program according to claim 23, wherein said smoothing step smoothes color information of a color component of a pixel adjacent to a pixel that has been classified into the particular group by the classifying step, and restores into its original state color information of a color component of a smoothed pixel among pixels adjacent to a pixel that has not been classified into the particular group by the classifying step.

27. The storage medium storing the image processing program according to claim 26, wherein said smoothing step:

sequentially selects pixels that became subjects of classification by the classifying step;

smoothes color information of a color component of a pixel that is adjacent to not only a pixel selected at an arbitrary time point but also to a pixel that is not selected at the arbitrary time point when the selected pixel is classified into the particular group; and

restores into its original state color information of a color component of a

smoothed pixel among pixels adjacent to the pixel selected at the arbitrary time point when the selected pixel is not classified into the particular group.

28. The storage medium storing the image processing program according to claim 23, wherein said smoothing step smoothes color information of a color component of a pixel that is adjacent to a plurality of pixels that have been classified into the particular group by the classifying step.

29. The storage medium storing the image processing program according to claim 23, wherein said smoothing step uses, as said particular group, a group having a feature that similarity degrees calculated in at least two different directions by the similarity degree calculating step are approximately the same.

30. The storage medium storing the image processing program according to claim 29, wherein said smoothing step judges that similarity degrees in at least two different directions are approximately the same when a difference between similarity degrees calculated in the at least two different directions by the similarity degree calculating step is smaller than a prescribed threshold value.